AIR PURIFICATION SYSTEMS 700 SERIES







YOU ARE WHAT YOU BREATHE

You are careful about eating the right foods and drinking clean water. But what do you do to ensure that the 30,000 breaths you take daily is clean air? Homes have become a breeding ground for bacteria, viruses, allergens and chemicals. But you can breathe easy, because our purifiers handle it all.

ABOUT AIRPURA

Founded in 2004 in Quebec, Canada, our company is committed to developing solutions to bring clean indoor air to people around the world. We believe that clean air is a right, not a privilege. We help people live longer and healthier lives by providing them with the best air quality products.

CUSTOMERS THAT HAVE TRUSTED US FOR THEIR AIR FILTRATION NEEDS





Conforms to ANSI/UL 507 Certified to: CSA C22.2 no.113

CUTTING EDGE TECHNOLOGY THAT'S A BREATH OF FRESH AIR

MAXIMUM AIR FLOW

Our purifiers offer 635 CFM which is more than other portable units on the market.

PRE-FILTER

Filters out larger contaminants such as dust, pollen, pet dander and mold spores, while protecting lifespan of main filters.



18-26 lbs of activated carbon that will adsorb airborne chemicals, gases and odors.

ADJUSTABLE CONTROLS

Adjust to your ideal level of filtration with variable speed setting.


H14 HEPA FILTRATION

HEPA efficiency filter in a pressure sealed filter chmaber traps 99.97% of airborne particles, as small as 0.3 microns.

UV GERMICIDAL LAMP

UV germicidal lamp sterilizes viruses, bacteria. mold and other microorganisms, preventing them from being released back into the air.







POWERFUL 360° air distribution purifies up to 2,000 square feet.



WHISPER OUIET Simplified air flow resulting in reduced fan noise.



EMISSION-FREE Metal housing ensures no plastic vapors are emitted.

DISCOVER THE AIRPURA DIFFERENCE

Purifiers designed to eliminate a wide range of chemicals, pollutants and odors.





Pet Dander





Mold spores



Dust

Odors



Disease-causing

microorganisms

UV LIGHT TECHNOLOGY

The potent technology of the 18W UV Germicidal lamp captures and sterilizes 99.99% of disease-causing microorganisms:

- Bacteria
- Viruses
- Mold Spores

Non-ozone emitting. Available in the following models: UV700 & P700

THE AIRPURA TITANCLEAN [™] REFLECTOR

The patented TitanClean [™] technology maximizes the photocatalytic effect of the UV germicidal lamp to dramatically increase the range of dangerous airborne chemicals and odors that can be safely and effectively neutralized.

Available in the following models: P700 or as an upgrade to the UV700.





AIR PURIFIERS

THE EVERYDAY CLEAN AIR PURIFIER

.

•

•

.

AIRPURA R700

635 CFM

The performance of this best-selling air purifier has been proven to eliminate a wide range of airborne chemicals and odors leaving only clean and fresh air.

Ideal for:

- Families who want . clean air at home Individuals prone
- to allergies and breathing issues
- Workplace/ industrial use
- Fitness centres
- Nursing homes



Filter System: Prefilter, Particle Removal: HEPA Filter (99.97 % efficient @ 0.3 Microns), Odors, Airborne Chemical Control: 18 lbs Coconut Shell Carbon Filter (100 % Blend)

Other Option: R600 at 560 CFM

AIRBORNE CHEMICALS

AIRPURA C700 635 CFM

A comprehensive air purifier that removes thousands of harmful airborne chemicals and gases leaving only clean indoor air.

Ideal for:

- Preserving air quality in hospitals, particularly nurses' stations
- •

•

- Homes/workplaces located in industrial areas
- Families who want clean air at home

Removes: Hvdrocarbons •

- Fecal smells Benzene •
 - Toluene
- Body odors .



Filter System: Prefilter, Particle Removal: HEPA Barrier (95% efficient @ 1 Micron), Odors, Airborne Chemical Control: 26 lbs Coconut Shell Carbon Filter (100 % Blend)

Other Option: C600 at 560 CFM

VOCS AND CHEMICALS EXTRA

AIRPURA C700 DLX 635 CFM

An air purifier that provides even more powerful protection that removes thousands of airborne chemicals and VOCs and will significantly improve the quality of your indoor air.

Ideal for:

Removes:

- Homes/workplaces located in industrial areas
- Families who want clean air at home
- Ammonia and • chlorine Nitrogen oxides • Organic chemicals • •



Filter System: Prefilter, Particle Removal: HEPA Barrier (95% efficient @ 1 Micron), Odors, Airborne Chemical Control: 26 lbs Enhanced Carbon Filter

.

Other Option: C600 DLX at 560 CFM

FORMALDEHYDE

AIRPURA F700 635 CFM

Protect yourself from the harmful effects of formaldehyde and other airborne chemicals with this powerful air purifier.

Ideal for:

- . Homes/workplaces located in industrial areas
- Families who want clean air at home
- Removes: . Formaldehyde
- Dust particles
- Lead particles •
- Organic chemicals •
- Microorganisms



Filter System: Prefilter, Particle Removal: HEPA Filter (99.97% efficient @ 0.3 Microns), Odors, Airborne Chemical Control: 18 lbs Enhanced Carbon Filter

Other Option: F600 DLX at 560 CFM

FORMALDEHYDE HEAVY DUTY

AIRPURA F700 DI X 635 CFM

Offers maximum protection from formaldehyde particles and thousands of harmful airborne chemicals released from common household products, construction materials and pesticides.

Ideal for:

Workplace/ industrial use

Removes:

- Formaldehyde • Lead particles .
 - Microorganisms

 - Nitrogen oxides
 - Organic chemicals



Filter System: Prefilter, Particle Removal: HEPA Barrier (95% efficient @ 1 Micron), Odors, Airborne Chemical Control: 26 lbs Enhanced Carbon Filter

Other Option: F600 DLX at 560 CFM

ALLERGY AND ASTHMA RELIEF

AIRPURA H700 635 CFM

Free your home of allergens and asthma irritants. This air purifier is an excellent option for people suffering from allergies, asthma and other respiratory issues.

Ideal for:

Individuals suffering from allergies. asthma and other breathing problems.

Homes in places with poor outdoor air quality. Families wanting clean air at home

Removes: ٠

•

- Allergens Pollen
- .



Filter System: Prefilter, particle Removal: HEPA Filter (99.97% efficient @ 0.3 Microns), Odors, Airborne Chemical Control: Hi-C Carbon

Other Option: H600 DLX at 560 CFM

THE PURIFIER FOR HEALTHCARE PROVIDERS

AIRPURA 1700 & 1700+ 635 CFM

A purifier specially designed for healthcare institutions. Powerful UV germicidal lamp option for complete antigen and pathogen sterilization.

Ideal for:

- Hospitals/Clinics
- Nursing homes
- Fitness centres
- & spas
- **Removes:**
- Lead particles •
- Microorganisms



Filter System: Prefilter, Particle Removal: HEPA Filter (99.97% efficient @ 0.3 Microns) 1700+: HEPA Filter 1600 Closed ended metal capped (99.99% efficient @ 0.3 Microns)

Other Option: 1600 & 1600+ at 560 CFM

CHEMICALS REDUCTION FEATURING TITANCLEAN™

AIRPURA P700 & P714

635 CFM

Revolutionary filtration system using Airpura's patented TitanClean™ technology, developed by NASA, which dramatically reduces VOCs, airborne chemicals, odors, particles and microorganisms delivering only clean and breathable air.

Ideal for:

- Individuals with . suppressed immune • systems, the elderly and very young children
- Individuals with Multiple Chemical Sensitivities (MCS)
- Places with poor outdoor air quality
- Workplace/ industrial use



- Mold spores .
- Dust particles
- . Asbestos
- Lead particles
- Microorganisms •
- Carbon monoxide
- Nitrogen oxides •
- Organic chemicals •
- Formaldehyde Lead vapor
- Pesticides
- Radon



Filter System: Prefilter, Particle Removal P700: HEPA Filter (99.97 % efficient @ 0.3 Microns) P714: HEPA Filter (99.99% efficient @ 0.3 Microns) Odors, Airborne Chemical Control: 18 lbs Coconut Shell Carbon Filter (100 % Blend), 18W UV Germicidal Lamp, PCO TitanClean™ Reflector

Other Option: P600 & P614 at 560 CFM

TOBACCO SMOKE

AIRPURA T700 & T700 DLX 635 CFM

An air purifier specially designed to remove the odors and gases of thousands of noxious chemicals, carcinogens and tars contained in tobacco smoke.

Ideal for:

- . Homes with smoker(s)
- Restaurants and bars
- Hospitality industry



.

- Tar
- Hydrocarbons
- Benzene
- .
- Institutions that have smoking areas
- Waiting rooms





Filter System: Tar Barrier, Particle Removal: HEPA Barrier (95% efficient @ 1 Micron), Odors, Airborne Chemical Control: T700: 26 lbs Carbon Filter T700 DLX: 26 lbs Enhanced Carbon Filter Other Option: T600 & T600 DLX at 560 CFM

GERM DEFENSE

AIRPURA UV700 635 CFM

The potent UV light technology of this air purifier removes 99.99% of diseasecausing airborne viruses, bacteria and mold.

Ideal for:

- People with low immunity to germs and bacteria Mold infestations
- Bacteria Antigens

Removes:

- Airborne viruses gastro and more
- Mold spores
- Doctors/dental clinics

Schools and

Hospitals

daycares

- Maintaining fresh air in a basement
- responsible for flu,
- Airborne chemicals



Filter System: Prefilter, Particle Removal: HEPA Filter (99.97 % efficient @ 0.3 Microns), Odors, Airborne Chemical Control: 28 lbs Coconut Shell Carbon Filter (100 % Blend). 18W UV Germicidal Lamp

Other Option: UV600 at 560 CFM

8

VOCS AND CHEMICALS

AIRPURA V700 635 CFM

A comprehensive air purifier that removes thousands of harmful airborne chemicals and VOCs found in common household items and outdoor pollutants leaving only clean indoor air.

Ideal for:

Removes:

.

- Chemical-emitting
 workplaces
- Individuals with Multiple Chemical Sensitivities (MCS)
- Families who want clean air at home
- Locations close to agricultural industries



Filter System: Prefilter, Particle Removal: HEPA Filter (99.97 % efficient @ 0.3 Microns), Odors, Airborne Chemical Control: 26 lbs Enhanced Carbon Filter

Other Option: V600 at 560 CFM



THE AIRPURA CENTRAL AIR SYSTEM

Breathe clean with our innovative central air filtration system which will purify air in your entire home, office, or school throughout the day. This powerful and compact system can be seamlessly retrofitted into your home's existing heating and/or air conditioning system.

REDUCTION OF 99.97% OF ALL AIRBORNE PARTICLES CHEMICAL AND ODOR REDUCTION


CLEAN AIR DELIVERY

Clean air is passed through your heating and cooling system and supplied back into your home.

A COST-EFFECTIVE INVESTMENT


This central air purifier recirculates your indoor air instead of heating or cooling your outdoor air, resulting in energy savings!


THE CONNECTION POSSIBILITIES ARE ENDLESS.




Vertical duct bypass

Horizontal duct bypass







Home to duct

CHOOSING THE RIGHT PURIFIER

Т	EC	ΗN	IC/	

Pollutant	Major Indoor Sources	Potential Health Effects*	Air Purifier Recommendation
Dust particles	Airborne household dust	Eye, nose and throat irritation, headaches, increased suscep- tility to respiratory infections and bronchitis, lung cancer	Best: R700, I700, UV700, P700 Other good options: V700, F700, H700
Asbestos	Damaged or deteriorating insulation, fire proofing, and acoustical materials	Asbestosis, lung cancer, mesothelioma, and other cancers	Best: 1700 Other good options: H700, R700, V700, P700
Lead Particle	Lead paint and other consumer products	Nerve and brain damage, particularly in children, ane- mia, kidney damage, growth retardation	Best: 1700 Other good options : H700, R700, V700, F700, P700
Bacteria, Viruses, Fungi, Animal Dander, Mites	Pets, bedding, poorly main- tained air conditioners, humid- ifers and dehumidifers, wet or moist structures, furnishings	Allergic reaction, asthma, eye, nose, and throat irritation, influenza and other diseases	Best : P700, UV700 Other good options: I600, R600, F600, V600
Tobacco Smoke	Cigarettes, cigars, pipes	Respiratory irritation, bronchi- tis and pneumonia in children, emphysema, lung cancer, heart disease	Best : TT700, T700 DLX Other good options : P700, C700, V700, F700, F700 DLX
Carbon Monoxide	Unvented or malfunctioning gas appliances, wood stoves, and tobacco smoke	Headache, nausea, vomiting, angina, impaired visiona and mental functioning	Best: P700
Nitrogen Oxides	Unvented or malfunctioning gas appliances	Eye, nose, and throat irritation, increased respiratory infec- tions in children	Best : P700 Other good options : V700, F700, C700, R700
Organic Chemicals	Aerosol sprays, solvents, glues, cleaning agents, pesticides, paints, moth repellants, air fresheners, dry-cleaned cloth- ing, treated water	Eye, nose and throat irritation, headaches, loss of coordina- tion, damage to liver, kidney and brain, various types of cancer	Best: P700 Other good options: V700, F700, C700
Formaldehyde	Pressed wood products, such as plywood and particle board, furnishings, wallpaper, durable pressed fabrics	Eye, nose, and throat irritation, headache, allergic reactions, cancer	Best: F700 DLX Other good options: P700, F700, C700
Lead Vapor	Lead paint and other consumer products	Nerve and brain damage, particularly in children, ane- mia, kidney damage, growth retardation	Best: P700 Other good option: V700
Pesticides	Products used to kill pests, such as insecticides or herbi- cides, Also lawn and garden products	Irritation of eye, nose, and throat, damage to the central nervous system, increased risk of cancer	Best : P700 Other good options : V700, C700, R700, F700
Radon	Contaminated soil under build- ings and ground water	Lung cancer	Best: P700

000% Allocity allocity allocity allocity allocity allocity allocity allocity allocity allocity300 allocity allocity allocity allocity allocity allocity allocity300 allocity allocity allocity allocity allocity allocity allocity300 allocity allocity allocity allocity allocity allocity allocity allocity300 allocity allocity allocity allocity allocity allocity allocity300 allocity allocity allocity allocity allocity allocity allocity300 allocity allocity allocity allocity allocity allocity allocity allocity300 allocity allocity allocity allocity allocity allocity allocity300 allocity allocity allocity allocity allocity allocity allocity300 allocity allocity allocity allocity allocity allocity allocity300 allocity allocity allocity allocity allocity allocity300 allocity allocity allocity allocity allocity allocity300 allocity allocity allocity allocity allocity allocity allocity300 allocity allocity allocity allocity allocity300 allocity allocity allocity allocity allocity300 allocity allocity allocity allocity allocity allocity300 allocity allocity allocity allocity allocity300 allocity allocity allocity allocity allocity300 allocity allocity allocity allocity allocity300 allocity allocity allocity allocity allocity300 allocity allocity allocity allocity allocity300 allocity a		R700	C700	C700 DLX	F700	F700 DLX	00/1	H700	P700	T700	T700 DLX	UV700	V700
5.00m surface2.	ODORS, AIRBORNE CHEMICAL CONTROL	18 lbs acti- vated carbon 13 in H x 13 in OD x 9 in ID	26 lbs activated carbon 13 in H x 13 in OD x 7 in ID	26 lbs super enhanced impregnated activated activated x 13 in OD x 7 in ID	18 lbs enhanced, carbon 13 in H x 13 in OD x 9 in ID	26 lbs super enhanced impregnated activated carbon 13 in H x 13 in OD x 7 in ID	306 in 2 HI-C carbon weave	306 in ² HI-C carbon weave	18 lbs activated carbon 13 in H x 13 in OD x 9 in ID	26 lbs activated carbon 13 in H x 13 in 0D x 7 in ID	18 lbs super enhanced activated carbon 13 in H x 13 in OD x 7 in ID	18 lbs activated carbon 13 in H x 13 in OD x 9 in ID	18 lbs enhanced, activated carbon 33 cm H x 13 in OD x 9 in ID
More and/ow than any other home unit and late Styler x	CARBON BED	2 in deep x 570 in ² surface	2 in deep x 570 in ² s urface	2 in deep x 570 in ² surface	2 in deep x 570 in ² surface	2 in deep x 570 in ² surface	ı	ı.	2 in deep x 570 in ² surface	2 in deep x 570 in ² surface	2 in deep x 570 in ² surface	2 in deep x 570 in ² surface	2 in deep x 570 in² surface
Storer's Time Time Time Time Time Time Time TimeStorer's Time Ti	AIR FLOW 950 M ³ / HOUR					More	airflow than any ot	her home unit ava	ilable				
460 ri to be HEPA to be HEPA to be HEPA to be HEPA to be HEPA to be HEPA 	PRE-FILTER		570 in² x 1 in	570 in ² x 1 in	570 in ² x 1 in	570 in ² x 1 in	570 in ² x 1 in	570 in² x 1 in	570 in ² x 1 in deep	Special Tar-Barrier filter 570 in² x 1 in deep	Special Tar-Barrier filter 570 in ² x 1 in deep	570 in² x 1 in deep	570 in ² x 1 in deep
Powder coaled steel 45 lbs total 49 lbs total 35 lbs total 49 lbs total 49 lbs total 49 lbs total 49 lbs total 45 lbs total	POST Particle Filter	480 in ² true HEPA (Measured 1 side only) 12 pleats per 1 in Pleats warm rolled with separators	306 in²	306 in ²	480 in ² true HEPA (Measured 1 side only) 12 pleats per 1 in. Pleats warm rolled with separa- capped to avoid plastic off gasing	306 in ²	Over 1200 in ² true HEPA (Measured only 1 side) 1 2 pleats per 1 in. Pleats warm rolled with separators	480 in ² true HEPA (Measured 1 side only) 12 pleats per 1 in Pleats warm rolled warm rolled warm	480 in ² true HEPA (Messured 1 side only) 12 pleats per 1 in. Pleats warm rolled with separators	306 in ²	306 in ²	480 in ² true HEPA (Measured 1 side only 12 pleats per 1 in. Pleats warm rolled with sepa- rators	480 in ² true HEPA (Measured 1 side only) 12 pleats per 1 in. Pleats warm rolled with separators
23 inx 11 in 23 inx 11 in 45 lbs total 49 lbs total 35 lbs total 45 lbs total 49 lbs total 45 lbs t	DNISNOH						Powder co	ated steel					
45 lbs total 49 lbs total 45 lbs total 35 lbs total 45 lbs total 49 lbs total 45 lbs total<	SIZE						23 in x	11 in					
	WEIGHT	45 lbs total	49 lbs total	49 lbs total	45 lbs total	49 lbs total	35 lbs total	35 lbs total	45 lbs total	49 lbs total	49 lbs total	45 lbs total	45 lbs total
	VOLTAGE OPTIONS						115 or 2	20 volts					
	WATTS						120 on high	/40 on low					
	SOUND						28.1 db on low,	61.3 db on high					
	ETL Certified					Con	forms to CSA C22.	2 no 113 ANSI / UL	.507				

THE AIRPURA PRIVATE AND RESIDENTIAL USE

Where the Airpura Air Purifier is used for private or residential purposes, the following warranty applies. The determination of the type of use will be made exclusively by Airpura Industries Inc. If within five (5) years from the date of the original purchase by the end user from the Authorized Dealer, an Airpura R700, R714, C700, C700 DLX. T700. T700 DLX. H700. H714, V700, V714, P700, P714, F700, F714, F700 DLX, G700, G700 DLX or UV700. UV714 (with the exception of filters, UV lamps or electrical plugs) is proved to be defective by reason only of faulty workmanship or materials. Airpura Industries Inc. will either repair or replace the part or product free of charge for labor, materials and shipping only. This decision to repair or replace will be made by Airpura.

If after five (5) years and not more than ten (10) years from the date of the original purchase by the end user from the Authorized Dealer, an Airpura (with the exception of filters or UV lamps) is proved to be defective by reason only of faulty workmanship or materials. Airpura Industries Inc. will at their option, repair or replace the part or product free of charge for labor only. Any replacement parts deemed necessary by Airpura Industries will be charged to the purchaser. The same warranty applies to the Airpura 1700 within two (2) years of purchase for parts and labor and within 5 years for labor only. Obvious defects must be communicated to the Authorized Dealer within 10 days from the purchase date. This warranty shall not apply to damage caused through misuse, wear and tear, neglect, unauthorized repair or to damage through installation, caused adaptation, modification or use in an improper manner or inconsistent with Airpura's operating and maintenance instructions, wear or deterioration due

to environmental conditions or to damage occurred during transit. Airpura Industries will not be liable under this warranty for any fault or damage arising from defective workmanship, if the product has been serviced, repaired or modified by any person other than Airpura Industries Inc. or the manufacturer's serial label has been removed or tampered with.

All products returned for service or repair must be accompanied with a RA (Return Authorization) number. The RA number must be clearly visible on the external packaging. The absence of an RA number will delay the service or repair process. Any shipment to Industries Inc. Airpura not accompanied with an RA number will not be accepted or will be immediately sent back to the shipper. Please contact the dealer you purchased the unit at in order to receive an RA number prior to shipment.

THE AIRPURA COMMERCIAL AND INSTITUTIONAL USE LIMITED WARRANTY

Where the Airpura Air Purifier is used for Commercial or Institutional purposes the following warranty applies. The determination of the type of use is made exclusively by Airpura Industries inc.

If within two (2) years from the date of the original purchase by the end-user from the Authorized Dealer, an Airpura R700, C700, T700, H700, V700 or UV700 (with the exception of filters or UV lamps) is proved to be defective by reason only of faulty workmanship or materials, Airpura Industries Inc. Will, at their option, repair or replace the part or product free of charge for labor and materials.

If within five (5) years from the date of the original purchase by the enduser from the Authorized Dealer, an Airpura R700, V700 or UV700 (with the exception of filters or UV lamps) is proved to be defective by reason only of faulty workmanship or materials, Airpura Industries Inc. will at their option repair or replace the part or product free of charge for labor only. Any replacement parts deemed necessary by Airpura Industries will be charged to the purchaser.

The same warranty applies to the Airpura 1700 within two (2) years of purchase for parts and labor and within 5 years for labor only.

Obvious defects must be communicated to the Authorized Dealer within 10 days from the purchase date.

This warranty shall not apply to damage caused through misuse, wear and tear, neglect, unauthorized repair or to damage caused through installation, adaptation, modification or use in an improper manner or inconsistent with Airpura's operating and maintenance instructions, wear or deterioration due to environmental conditions or to damage occurred during transit.

Airpura Industries will not be liable under this warranty for any fault or damage arising from defective workmanship, if the product has been serviced, repaired or modified by any person other than Airpura Industries Inc. or the manufacturer's serial label has been removed or tampered with.

All products returned for service or repair must be accompanied with a RA (Return Authorization) number. The RA number must be clearly visible on the external packaging. The absence of an RA number will delay the service or repair process, for any shipment to Airpura Industries Inc. not accompanied with a RA number will not be accepted or will be immediately sent back to the shipper. Please contact Airpura Industries Inc to receive a RA number prior to shipment.

CONTACT